

PUBLIC LIGHTING EQUIPMENT SCHEDULE

Client:	RUDEN HOMES
Project:	COURTSTOWN
Project No:	20152
Date:	14/06/2024
Document Ref:	DD-002
Revision:	N
Status:	FOR INFORMATION

Horizon Engineering Consultants Ltd.
 Unit 18C,
 Euro Business Park,
 Little Island,
 Cork.
info@horizonengineering.ie
 (T): 021-7011111 (F):021-7011100



TAG NUMBER	LUMINAIRE TYPE	LOCATION	MAKE	MODEL	CLO (W)	LUMENS	COLOUR	DIMMING REGIME	PHOTCELL	COLUMN HEIGHT	HINGED COLUMN	OUTREACH	TILT	ELECTRICAL CIRCUIT
1	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 1
2	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 1
3	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 1
4	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 1
5	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 1
6	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 1
7	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 1
8	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 2
9	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	0°	MICROPILLAR 1 - CIRCUIT 2
10	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 2
11	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 2
12	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 3
13	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 3
14	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	0°	MICROPILLAR 1 - CIRCUIT 1
15	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 1
16	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	10°	MICROPILLAR 1 - CIRCUIT 3
17	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	10°	MICROPILLAR 1 - CIRCUIT 3
18	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	10°	MICROPILLAR 1 - CIRCUIT 3
19	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 1 - CIRCUIT 3
20	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 2 - CIRCUIT 2
21	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 2 - CIRCUIT 2
22	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 2 - CIRCUIT 2
23	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 2 - CIRCUIT 2
24	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 2 - CIRCUIT 2
25	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	0°	MICROPILLAR 1 - CIRCUIT 2
26	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	0°	MICROPILLAR 1 - CIRCUIT 2

PUBLIC LIGHTING EQUIPMENT SCHEDULE

Client:	RUDEN HOMES
Project:	COURTSTOWN
Project No:	20152
Date:	14/06/2024
Document Ref:	DD-002
Revision:	N
Status:	FOR INFORMATION

Horizon Engineering Consultants Ltd.
 Unit 18C,
 Euro Business Park,
 Little Island,
 Cork.
info@horizonengineering.ie
 (T): 021-7011111 (F):021-7011100



TAG NUMBER	LUMINAIRE TYPE	LOCATION	MAKE	MODEL	CLO (W)	LUMENS	COLOUR	DIMMING REGIME	PHOTCELL	COLUMN HEIGHT	HINGED COLUMN	OUTREACH	TILT	ELECTRICAL CIRCUIT
27	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 2 - CIRCUIT 2
28	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 2 - CIRCUIT 2
29	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 3 - CIRCUIT 1
30	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	10°	MICROPILLAR 3 - CIRCUIT 1
31	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	10°	MICROPILLAR 3 - CIRCUIT 1
32	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 3 - CIRCUIT 1
33	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 3 - CIRCUIT 1
34	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 3 - CIRCUIT 2
35	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	10°	MICROPILLAR 3 - CIRCUIT 2
36	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	0°	MICROPILLAR 3 - CIRCUIT 2
37	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 3 - CIRCUIT 2
38	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 3 - CIRCUIT 2
39	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 3 - CIRCUIT 2
40	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 3 - CIRCUIT 2
41	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	0°	MICROPILLAR 3 - CIRCUIT 2
42	A	Residential Estate	Phillips	Luma Micro 20LED BGP702 DW50	26	4,200	3,000K	None - P4	Yes - 35W/18W	6	No	0	5°	MICROPILLAR 3 - CIRCUIT 2
43	B	Spine Road	Phillips	Luma Mini 40LED BGP703 DW50	95	16,000	3,000K	Profile U15	Yes - 35W/18W	8	No	0	5°	MICROPILLAR 2 - CIRCUIT 1
44	B	Spine Road	Phillips	Luma Mini 40LED BGP703 DW50	95	16,000	3,000K	Profile U15	Yes - 35W/18W	8	No	0	5°	MICROPILLAR 2 - CIRCUIT 1
45	B	Spine Road	Phillips	Luma Mini 40LED BGP703 DW50	95	16,000	3,000K	Profile U15	Yes - 35W/18W	8	No	0	5°	MICROPILLAR 2 - CIRCUIT 1
46	B	Spine Road	Phillips	Luma Mini 40LED BGP703 DW50	95	16,000	3,000K	Profile U15	Yes - 35W/18W	8	No	0	5°	MICROPILLAR 2 - CIRCUIT 1
47	B	Spine Road	Phillips	Luma Mini 40LED BGP703 DW50	95	16,000	3,000K	Profile U15	Yes - 35W/18W	8	No	0	5°	MICROPILLAR 2 - CIRCUIT 1
48	B	Spine Road	Phillips	Luma Mini 40LED BGP703 DW50	95	16,000	3,000K	Profile U15	Yes - 35W/18W	8	No	0	5°	MICROPILLAR 2 - CIRCUIT 1
49	B	Spine Road	Phillips	Luma Mini 40LED BGP703 DW50	95	16,000	3,000K	Profile U15	Yes - 35W/18W	8	No	0	5°	MICROPILLAR 2 - CIRCUIT 1
50	B	Spine Road	Phillips	Luma Mini 40LED BGP703 DW50	95	16,000	3,000K	Profile U15	Yes - 35W/18W	8	No	0	5°	MICROPILLAR 2 - CIRCUIT 1
51	B	Spine Road	Phillips	Luma Mini 40LED BGP703 DW50	95	16,000	3,000K	Profile U15	Yes - 35W/18W	8	No	0	5°	MICROPILLAR 2 - CIRCUIT 1
52	B	Spine Road	Phillips	Luma Mini 40LED BGP703 DW50	95	16,000	3,000K	Profile U15	Yes - 35W/18W	8	No	0	5°	MICROPILLAR 2 - CIRCUIT 1

PUBLIC LIGHTING EQUIPMENT SCHEDULE

Client:	RUDEN HOMES
Project:	COURTSTOWN
Project No:	20152
Date:	14/06/2024
Document Ref:	DD-002
Revision:	N
Status:	FOR INFORMATION

Horizon Engineering Consultants Ltd.
 Unit 18C,
 Euro Business Park,
 Little Island,
 Cork.
info@horizonengineering.ie
 (T): 021-7011111 (F):021-7011100



TAG NUMBER	LUMINAIRE TYPE	LOCATION	MAKE	MODEL	CLO (W)	LUMENS	COLOUR	DIMMING REGIME	PHOTCELL	COLUMN HEIGHT	HINGED COLUMN	OUTREACH	TILT	ELECTRICAL CIRCUIT
52	C	Public Road	Phillips	Luma Medium 80LED BGP704 DW50	105	18,500	3,000K	Profile U14	Yes - 35W/18W	10 ^{note 1}	No	χ ^{note 1}	5°	Existing
53	C	Public Road	Phillips	Luma Medium 80LED BGP704 DW50	105	18,500	3,000K	Profile U14	Yes - 35W/18W	10 ^{note 1}	No	χ ^{note 1}	5°	Existing
54	C	Public Road	Phillips	Luma Medium 80LED BGP704 DW50	105	18,500	3,000K	Profile U14	Yes - 35W/18W	10 ^{note 1}	No	χ ^{note 1}	5°	Existing
55	D	Future Pedestrian Path	Phillips	Luma Micro 20LED BGP702 DW50	15	2,400	3,000K	None - P4	Yes - 35W/18W	4	No	0	5°	MICROPILLAR 2 - CIRCUIT 3
56	D	Future Pedestrian Path	Phillips	Luma Micro 20LED BGP702 DW50	15	2,400	3,000K	None - P4	Yes - 35W/18W	4	No	0	5°	MICROPILLAR 2 - CIRCUIT 3
57	D	Future Pedestrian Path	Phillips	Luma Micro 20LED BGP702 DW50	15	2,400	3,000K	None - P4	Yes - 35W/18W	4	No	0	5°	MICROPILLAR 2 - CIRCUIT 3

NOTE 1 Height & outreach of columns on existing public road to match existing and to be agreed with Public Authority.